

FAX COVER SHEET

Home healthcare referral

FAX to: 888-862-6082

Referral documentation checklist

Type of Referral: ☐ Start of care ☐ Resumption of care
Documents/information needed: □ Demographic sheet to include: ○ Patient's first and last name ○ Address and phone number of where patient will receive homecare services ○ Email address ○ Patient's primary language ○ Patient-selected representative or power of attorney ○ Insurance information ○ Emergency contact information □ For patients with primary or secondary Medicare or Medical Assistance, a completed Face-to-Face encounter document must be signed by a physician (PA or NP signature not acceptable) □ Physician's homecare order (if Face-to-Face document not required) □ Referring physician's name and phone number □ Name and phone number of the physician who will be following the patient for home care services □ Medication profile □ Hospital transfer/discharge summary (if applicable) □ History and physical
Additional items needed for <u>infusion referrals</u> : ☐ Current labs ☐ Signed physician's order with medication, dose, frequency and duration ☐ PICC line X-ray, tip placement, length of PICC line ☐ Lab/blood work orders (if applicable) and the physician who should receive the results
Questions? Call our Patient Intake Center at 800-862-2166. Choose option 2.

FURTHER ACTION REQUIRED! Fax submission does <u>not</u> guarantee start-of-care. Please call to verify receipt and confirm start-of-care date.

MedStar Health Home Care Face-to-Face Progress Note and Home Health Orders

Initial certification and orders must be signed and dated by the ordering provider. (MD, PA, NP)

Patient Name:	_ Patient DOB://
Face-to-Face Encounter occurred on:/(s	should be within 90 days of start of care)
Is this visit related to the primary reason the patient requires home health services?	□Yes □No
Clinical Findings Patient's medical condition or diagnosis of	results in:
□Instability □Muscle weakness □Generalized weakness and fatigue □Unsteady g □Wound infection or non-healing wound □Immune-compromised □Pain with ambula □ Other:	
Homebound Status Due to the above stated illness, injury or surgical procedure (medical condition or diagnosis homebound because of his/her inability to leave home except with aid of a supportive requires a considerable and taxing effort or is medically contraindicated.	
MUST COMPLETE BOTH SECTIONS BELOW TO MEET HOMEBOUND ELIGIBILIT	TY CRITERIA.
*Patient requires the following assistance to leave the home: (Check	call that apply)
☐ Cane ☐ Walker ☐ Wheelchair ☐ Aid of another person ☐ Medically contrainding	cated
*Patient cannot leave the home or requires assistance to leave the	home because: (Check all that apply)
\square High fall risk due to gait instability \square Muscle weakness \square Wound infection of	or non-healing wound \square Patient is
bedbound \square Cognitive deficits impact judgment, impair ability to safely navigate	te and prevent decision making for safety
\square Shortness of breath/distress after ambulating more than 10 feet results in his procedure results in instability, weakness, non-weight bearing, and/or pain with	<u> </u>
□ Other:	
Advance Directives: ☐YES ☐NO	
<u>Do Not Resuscitate</u> : □YES □NO	
\underline{MOLST} Form (patients living in Maryland): $\Box YES$ $\Box NO$	
Home Healthcare Orders	
□ Skilled Nursing (Check all that apply)	
☐ Medication management ☐ Disease Management ☐ Nutritional Managemen	nt □Drain Care
☐ Anticoagulation ☐ New cardiovascular medications ☐ Diabetes Mellitus Ass	essment/Teaching
☐ Cardiovascular Cardiopulmonary (CV/CP) Assessment	
☐ Wound Care: (specify wound care, negative pressure wound care and treatmer	nt)
□ Other	

Patient Name		
☐ Infusion Therapy (Check	all that apply)	
• IV medications (antibiotics, che		
Name and dosage:		
Type of line:	Location:	Date of insertion:
Line Flush Instructions:		
· TPN		
Formula and dosage:		
Start Date:	Type of Line: Date of Insertion:	
	Date of insertion	
	each occluded lumen, per manufacturer instruction	
Tube Feeding Enteral Formula and dosage:		
	☐ PEG ☐ PEJ Administration Method: ☐ Pe	
□ Labs (Check all that apply)		
Venipuncture: ☐ CBC ☐BMP	□LFT □CMP □CRP&ESR □CK □Var	nc Level (random) □Vanc Level (trough)
Other		
☐ PT/INR:times/week. • Planned date for first INR:	☐ May use PT/INR meter • Goal INR Range:	
Send lab results to:	Phone:	Fax:
☐ Therapy Orders (Check all	that apply)	
☐ Physical Therapy ☐ PT ass	ess for SN	ational Therapy
	<u> </u>	e patient's ability to walk safely without pain.
□ Increase strength and endura		
 □ Evaluate for assistive devices transfers and ambulation. 	surgery. s and/or environmental modifications needed	to address ADL deficits to improve safety with
	ompensatory strategies for cognitive deficits	
	pensatory environmental modifications for sa	fety.
□ Evaluate and treat dysphagia		
□ Evaluate and treat aphagia. □ Provide maintenance therapy	to prevent or slow a decline in condition.	
□ Other	to prevent or slow a decline in condition.	
□ Medical Social Worker (I	Must also have skilled nursing, physical therapy o	or speech therapy ordered)
☐ Home Health Aide (Not Po	CA service; must also have skilled nursing ordere	ed)
	formation (physician, PA, NP)	
Provider Signature:	NPI #:	Date: Time:
Print Name:	Pager/Phone:	
Physician Practice or Clinic Nam	1e:	Phone #: